

2 3 5

VA FORM 08-6231

DOOR SIZES					
MARK	WIDTH	HEIGHT	MARK	WIDTH	HEIGHT
А	1' - 6"	6' - 8"	N	2' - 0"	7' - 0"
В	2' - 0"	6' - 8"	0	2' - 2"	7' - 0"
С	2' - 2"	6' - 8"	Р	2' - 4"	7' - 0"
D	2' - 4"	6' - 8"	Q	2' - 6"	7' - 0"
E	2' - 6"	6' - 8"	R	2' - 8"	7' - 0"
F	2' - 8"	6' - 8"	S	3' - 0"	7' - 0"
G	2' - 10"	6' - 8"	Т	3' - 4"	7' - 0"
Н	3' - 0"	6' - 8"	U	3' - 6"	7' - 0"
I	3' - 2"	6' - 8"	V	3' - 8"	7' - 0"
J	3' - 4"	6' - 8"	W	3' - 10"	7' - 0"
K	3' - 8"	6' - 8"	X	4' - 0"	7' - 0"
L	3' - 10"	6' - 8"	Y	3' - 0"	8' - 0"
М	1' - 6"	7' - 0"	Z	UNASSIGNED	

DOOR NOTES:


OTHERWISE

1. ALL DOORS SHALL BE FLUSH - 1 3/4" THICK UNLESS NOTED

2. TOP AND SIDE RAILS SHALL BE 9" MIN. BOTTOM RAILS SHALL BE 12"

3. DOOR TYPES 7,8, & 9 SHALL NOT BE USED FOR OPPOSING DOORS.

4. EVEN NUMBERS ARE METAL; ODD NUMBER ARE SOLID CORE WOOD.



DOOR MODIFICATIONS (APPLICATION CODES)

LAMINATED GLAZING

- DOUBLE GLAZED TEMPERED GLASS
- ELECTRIC HOLD
- LOUVER
- LIGHT PROOF LOUVER
- MECHANICAL SEAL FOR LIGHT PROOF AND SOUND RETARDING DOOR
- TEMPERED GLASS
- **UNDERCUT 1"**
- LEAD GLASS
- **WIRE GLASS** VIEW PANEL 4"X32" (1/4" TEMPERED GLASS,WIRE
- GLASS AT FIRE RATED DOORS)
- VIEW PANEL 24" X 36" (1/4" THICK TEMPERED GLASS)
- STOREFRONT DOOR AND FRAME, REFER TO
- AS110 AND AS603 HEIGHT OF DOOR - 42 INCHES - SOLID CORE WOOD
- DOOR CLAD WITH PLASTIC LAMINATE TO
- MATCH ADJ. WALLS VD VAULT DOOR (40" WIDE X 78" HIGH CLEAR OPENING),
- REFER TO SPECIFICATION 08 34 59 VAULT DOORS AND DAYGATE FOR SPECIFIC DOOR AND HARDWARE
- REQUIREMENTS.
- SD SLIDING DOOR (6'-0" CLEAR OPENING) WIRE MESH GATE WITH MANUFACTURERS STANDARD

6 7

FRAME TO WORK WITHIN SPECIFIED MASONRY OPENING

FINAL SUBMISSION

Drawing Title Project Title Project Number CONSULTANTS: ARCHITECT/ENGINEERS: PANAMA CITY DOOR SCHEDULE AND ELEVATIONS Office of 520-326 JOINT OUTPATIENT CLINIC Construction SURVEYORS: KCI TECHNOLOGIES, INC. CIVIL: KENNETH HORNE & ASSOCIATES COMM/IDS: SCHMIDT CONSULTING GROUP, INC. **Building Number** VA GULF COAST HEALTH CARE 10401 HIGHLAND MANOR DRIVE, SUITE 120 7201 NORTH 9TH AVENUE, STE. 6 139 EAST GOVERNMENT STREET and Facilities PENSACOLA, FLORIDA 32504 TAMPA, FLORIDA 33610 PENSACOLA, FLORIDA 32502 BES DESIGN/BUILD, LLC PH: (813) 740-2300 PH: (850) 471-9005 PH: (850) 438-0050 Drawing Number FX: (850) 471-0093 FX: (850) 432-8631 Approved: Project Director Management 766 Middle St, Fairhope, AL 36532 PANAMA CITY, FLORIDA Phone: 251.990.5778 Fax: 251.990.3716 ARCHITECTURE: BULLOCK TICE ASSOCIATES, INC. LANDSCAPE ARCHITECT: AS601 0013571 CSA GROUP, INC. 6300 PICCADILLY SQUARE DRIVE 909 EAST CERVANTES STREET Checked PENSACOLA, FL 32501 MOBILE, ALABAMA 36609 Department of Veterans Affairs PH: (251) 344-4023 PH: (850) 434-5444 BM Veterans Affairs Dwg. 38 of 42 FX: (850) 432-5208 FX: (251) 344-4052 Revisions: